



CHARLIE CRIST  
GOVERNOR

STATE OF FLORIDA

# Office of the Governor

THE CAPITOL  
TALLAHASSEE, FLORIDA 32399-0001

www.flgov.com  
850-488-7146  
850-487-0801 fax

Memo #10-008

## MEMORANDUM

**To:** Agency Addressed

**From:** *Per Jade*  
*for:* Jerry L. McDaniel, Director  
Office of Policy and Budget

*CK* Cynthia Kelly, Staff Director  
Senate Policy and Steering Committee on Ways and Means

*SM*  
*TC* Skip Martin, Council Director  
House Full Appropriations Council on Education and Economic Development

*AL* Anne Leznoff, Council Director  
House Full Appropriations Council on General Government and Health Care

**Subject:** Supplemental Instructions Regarding Legislative Budget Request (LBR) Instructions for Fiscal Year 2010-11

**Date:** August 28, 2009

The Department of Management Services has developed new replacement criteria for the state's fleet of cars and light trucks. The new criteria have been included in the updated official DMS Replacement Criteria document posted at (<http://emis.state.fl.us/>).

All requests for replacement of cars and light trucks included in agency Legislative Budget Requests should adhere to these new criteria.

If you have any questions relating to these instructions, please contact the budget analysts assigned to your agency.

JLM/ /CK/SM/JL/lg  
Attachments

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

Cars and light trucks (up to and including 1 ton pickups trucks) replacement eligibility is determined by using the Replacement Eligibility Factor (**REF**) calculation. All other vehicle classes must use the standard Units (Miles or Hours) and Age (in months) table (page 3).

Vehicles with a minimum **REF** score of 300 points are deemed eligible for replacement. In addition, the criteria establishes maximum values, referred to as a "DROPEAD" values, for a vehicle's age and miles. Once a vehicle reaches a "DROPEAD" value it is automatically deemed eligible for replacement regardless of any other factors.

**REF** calculation:

**DROPEAD Age:** 12 years (standard vehicle)  
8 years (pursuit vehicle)

**DROPEAD Miles:** 120,000 (standard vehicle up to 1/2 Ton pickup)  
150,000 (3/4 & 1 Ton pickup)  
80,000 (pursuit vehicle)

1. Age in Years (using the greater of either Date in Service or Model Year (use June as the Model Year's month)) divided by DROPEAD Age.
  - if > 99.9% vehicle meets DROPEAD value based on age
  - or > 89.4% add 150 to REF
  - or > 74.4% add 125 to REF
  - or > 65.4% add 100 to REF
  - or > 49.4% add 75 to REF
  - or > 32.4% add 50 to REF
  - or > 24.4% add 25 to REF
  
2. Life Odometer divided by DROPEAD Miles.
  - if > 99.9% vehicle meets DROPEAD value based on miles
  - or > 89.4% ADD 150 to REF
  - or > 74.4% ADD 125 to REF
  - or > 65.4% ADD 100 to REF
  - or > 49.4% ADD 75 to REF
  - or > 32.4% ADD 50 to REF
  - or > 24.4% ADD 25 to REF
  
3. Using condition for last 12 months, for each month:
  - if W (Wrecked) or P (Poor) add 5 to REF
  - or B (Burned) add 10 to REF

Florida Department of Management Services  
Division of Specialized Services

Minimum Equipment Replacement Criteria

4. Divide days down (within past 12 months) by 232.
  - if > 99.4% add 140 to REF
  - or > 89.4% add 120 to REF
  - or > 74.4% add 100 to REF
  - or > 65.4% add 80 to REF
  - or > 49.4% add 60 to REF
  - or > 32.4% add 40 to REF
  - or > 24.4% add 20 to REF
  
5. Divide life time maintenance cost into acquisition cost.
  - if > 99.4% add 250 to REF
  - or > 89.4% add 200 to REF
  - or > 74.4% add 150 to REF
  - or > 65.4% add 100 to REF
  - or > 49.4% add 50 to REF
  
6. If last 12 months maintenance cost is greater than or equal to 25% of either the Acquisition cost or \$12,000 (which ever is greater) then Divide last 12 months of Maintenance cost into Life Maintenance Cost.
  - if > 99.4% subtract 200 from REF
  - or > 89.4% subtract 175 from REF
  - or > 74.4% subtract 150 from REF
  - or > 65.4% subtract 125 from REF
  - or > 49.4% subtract 100 from REF
  - or > 32.4% subtract 75 from REF
  - or > 24.4% subtract 50 from REF

if result of above calculation results in a negative number set REF to zero (0)
  
7. Excessive Cost Per Mile (using Life Cost Per Mile)
  - if > \$0.394 add 75 to REF
  - or > \$0.344 add 50 to REF
  - or > \$0.294 add 25 to REF
  
8. Status
  - if Totalled (EMIS Status code Z) REF is 999

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

Commodity Code	Former Spec. Number	Description	Representative Models	Miles or Hours	Years
<b><u>Medium Trucks (4x2)</u></b>					
070-700-130	8-DF	Dry Freight Truck, Single Axle, Class 6, 24,500 lb. GVWR (4x2)	GMC C7H042, Ford F-600/700/800	100,000	10
070-700-200	8D	Single Axle, Chassis-cab, 27,500-33,000 GVWR	Ford F700/800, GMC 70, Navistar 1754/1954	150,000	10
070-700-210	8CCD	Single Axle, Chassis-cab, 27,500-33,000 GVWR	Ford F700/800, GMC 70, Navistar 1754/1954	150,000	10
070-700-220	8COE	Single Axle, Chassis-cab, 27,500-33,000 GVWR	Ford C800/CF8000	150,000	10
070-700-230	8D	Chassis-Cab, Single Axle, Class 6, 24,500 lb. GVWR (4x2)	GMC C7H042, NI 4700 4x2, Sterling L8501/M6500, Ford F-800	150,000	10
070-700-235	8CCD	Chassis-Cab, Crewcab, Single Axle, Class 6, 24,500 lb. GVWR (4x2)	GMC C7H042, NI 4700 4x2, Ford F-800	150,000	10
070-700-240	8D-DT	Dump Truck, Single Axle, Class 6, 24,500 lb. GVWR (4x2)	GMC C7H042, NI 4700 4x2, Sterling M6500, Ford F-800	150,000	10
070-700-245	8CCD-DT	Dump Truck, Crewcab, Single Axle, Class 6, 24,500 lb. GVWR (4x2)	GMC C7H042, NI 4700 4x2, Ford F-800	150,000	10
070-700-250	8D-SB	Stake Body Truck, Single Axle, Class 6, 24,500 lb. GVWR (4x2)	GMC C7H042, NI 4700 4x2, Sterling L8501/M6500, Ford F-800	150,000	10
070-700-255	8CCD-SB	Stake Body Truck, Crewcab, Single Axle, Class 6, 24,500 lb. GVWR (4x2)	GMC C7H042, NI 4700 4x2, Ford F-800	150,000	10
070-700-260	8D-DF	Dry Freight Truck, Single Axle, Class 6, 24,500 lb. GVWR (4x2)	GMC C7H042, NI 4700 4x2, Sterling L8501, M6500 Ford F-800	150,000	10
070-744-100	8	Single Axle, Chassis-cab, 24,500-27,500 GVWR (4x4) (Gas)	Ford F-600/700/800, GMC 60/70, Navistar 1654/1754	100,000	10
070-744-200	8D	Single Axle, Chassis-cab, 27,500-33,000 GVWR (4x4)	Ford F-700/800, GMC 70, Navistar 1754/1954	150,000	10
<b><u>Medium Trucks (4x4)</u></b>					
070-744-210	8CCD	Single Axle, Chassis-cab, 27,500-33,000 GVWR (4x4)	Ford F-700/800, GMC 70, Navistar 1754/1954	150,000	10
<b><u>Heavy Trucks</u></b>					
070-700-300	32	Tandem Axle, Chassis-cab, 33,001-50,000 GVWR	Ford LT/LNT 8000, GMC 70, NI F-1954/4900 6x4, Sterling LT8501, M8500	250,000	10*
070-700-300	32	Tandem Axle, Chassis-cab, 33,001-50,000 GVWR (Gas)	Ford LT/LNT 800, GMC 70	100,000	10*
070-700-310	32-HD	Chassis-Cab, Tandem Axle, Class 8, 64,000 lb. GVWR (6x4)	NI 2554 6x4, Peterbilt 357, Sterling LT8501/LT7501 Volvo WG64F	250,000	10
070-700-400	33	Tandem Axle, 8 Yd Dump Truck 50,000 GVWR	Ford LT/LNT 8000, GMC 70, NI F-2554/4900 6x4, Sterling LT8501/M8500	250,000	10
070-700-450	33-HD	12 Yard Dump Truck, Tandem Axle, Class 8, 64,000 lb. GVWR (6x4)	NI 2554 6x4, Peterbilt 357, Sterling LT8501/LT7501 Volvo WG64F, Ford LNT 8000	250,000	10
070-700-498	34-S	Truck Tractor, Single Axle, Class 8, 50,000 lb. GCWR (4x2)	NI 4900 4x2, Sterling LT8501/17500	250,000	10

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

<b>Commodity Code</b>	<b>Former Spec. Number</b>	<b>Description</b>	<b>Representative Models</b>	<b>Miles or Hours</b>	<b>Years</b>
070-700-500	34	Tandem Axle, Truck Tractor 80,000 GVWR	Ford LT/LTL 9000, GMC 90, Navistar F-2574, NI 2574 6x4, Peterbilt 385/357, Sterling LT9513/lt9500, Volvo WG64T 6x4	300,000	10
070-700-500	34	Tandem Axle, Truck Tractor 80,000 GVWR (Gas)	Ford LT/LTL800, GMC 70	100,000	10
070-700-510	34-HD	Truck Tractor, Tandem Axle, Class 8, 120,000 lb. GCWR (6x4)	Autocar ACL64FT, NI 2574 6x4, Peterbilt 357, Sterling LT9513/9500, Ford LT 9000	300,000	10
<b><u>Heavy Trucks (6x6)</u></b>					
070-744-300	32	Tandem Axle, Chassis-Cab, 33,001-50,000 GVWR (6x6)	Ford LT/LNT 8000, GMC 70, Navistar F-1954	150,000	10*
<b><u>Buses</u></b>					
070-350-100	-	Buses (School Type) Gas & Diesel	Ford B-600/700, GM S-50/60, Navistar 1753/1853	110,000	10
070-350-200	-	Buses (Transit, City Type)	Blue Bird	150,000	10
070-350-300	-	Buses (Greyhound Type)	Silver Eagle	250,000	10
<b><u>Wheel Tractors</u></b>					
765-900-100	55	15 PTO HP @ 540 RPM	Ford 1310, JD 750, Kubota B8200, Case IH 234	3,000(H)	8
765-900-205		23 PTO HP @ 540 RPM	Massey Ferguson 1240/2WD/Turf	3,000(H)	8
765-900-210		23 PTO HP @ 540 RPM	Massey Ferguson 1240/4WD/AG	3,000 (H)	8
765-900-215		23 PTO HP @ 540 RPM	Massey Ferguson 1240/4WD/Turf	3,000 (H)	8
765-900-220		27 PTO HP @ 540 RPM	Massey Ferguson 1250/2WD/AG	3,000 (H)	8
765-900-225		27 PTO HP @ 540 RPM	Massey Ferguson 1250/2WD/Turf	3,000(H)	8
765-900-230		27 PTO HP @ 540 RPM	Massey Ferguson 1250/2WD/AG	3,000 (H)	8
765-900-235		27 PTO HP @ 540 RPM	Massey Ferguson 1250/4WD/Turf	3,000 (H)	8
765-900-240		25 PTO HP @ 540 RPM	Massey Ferguson 1235/Hydrostatic/4WD/AG	3,000 (H)	8
765-900-245		25 PTO HP @ 540 RPM	Massey Ferguson 1235/Hydrostatic/4WD/Turf	3,000 (H)	8
765-900-250	53	30 PTO HP @ 540 RPM	Ford 3000, Massey Ferguson 1260/4WD/AG	3,000(H)	8
765-900-255		33 PTO HO @ 540 RPM	Massey Ferguson 1260/4WD/Turf	3,000 (H)	8
765-900-260		27 PTO HP @ 540 RPM	New Holland TC33D, Hydrostatic	3,000 (H)	8
765-900-300	52	34/38 PTO HP @ 540 RPM	Case IH 485/C50, Deere 1070, Ford 3910, JD 1250, Kubota L4200F, MF 231/2, N	3,000(H)	8
765-900-310		47 PTO HP @ 540 RPM	Massey Ferguson 243/2WD	3,000 (H)	8
765-900-315		47 PTO HP @ 540 RPM	Massey Ferguson 243/4WD	3,000 (H)	8
765-900-320		53 PTO HP @ 540 RPM	Massey Ferguson 263/2WD	3,000 (H)	8
765-900-325		53 PTO HP @ 540 RPM	Massey Ferguson 263/4WD	3,000 (H)	8
765-900-350	57	LCG Turf Tractor, 38 PTO HP @ 540 RPM	Ford 3000	3,000(H)	8
765-900-375	51	45 PTO HP @ 540 RPM	MF-30, Ford 5000	4,000(H)	10
765-900-400	56	LCG Turf Tractor, 52 PTO HP @ 540 RPM	JD 2350, Ford 4610/4000	4,000(H)	10
765-900-500	50	55 PTO HP @ 540 RPM	Case IH 685/C70, Deere 5310, Ford 5610, JD 2350, Kubota M6800, MF 175/4225	4,000(H)	10
765-900-502	50A	Wheel Tractor, Cab Model, 55 PTO HP @ 540 RPM	Case IH CX70, Deere 5310, MF 4225/2, New Holland 4835		

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

<b>Commodity Code</b>	<b>Former Spec. Number</b>	<b>Description</b>	<b>Representative Models</b>	<b>Miles or Hours</b>	<b>Years</b>
765-900-505		55 PTO HP @ 540 RPM	Massey Ferguson 4225/4WD/ROPS	3,000 (H)	8
765-900-507		65 PTO HP @ 540 RPM	Massey Ferguson 4233/2WD/ROPS	3,000 (H)	8
765-900-510		65 PTO HP @ 540 RPM	Massey Ferguson 4235/2WD/ROPS	3,000 (H)	8
765-900-512		65 PTO HP @ 540 RPM	Massey Ferguson 4233/4WD/ROPS	3,000 (H)	8
765-900-515		65 PTO HP @ 540 RPM	Massey Ferguson 4235/4WD/ROPS	3,000 (H)	8
765-900-520		65 PTO HP @ 540 RPM	Massey Ferguson John Deere 6110	3,000 (H)	8
765-900-550	50A	55 PTO HP @ 540 RPM	Massey Ferguson 4225/2WD/Cab, John Deere 5310, New Holland TL70	3,000 (H)	8
765-900-555		55 PTO HP @ 540 RPM	Massey Ferguson 4225/4WD/Cab	3,000 (H)	8
765-900-557		65 PTO HO @ 540 RPM	Massey Ferguson 4233/4WD/Cab	3,000 (H)	8
765-900-560		65 PTO HP @ 540 RPM	Massey Ferguson 4235/2WD/Cab	3,000 (H)	8
765-900-563		65 PTO HP @ 540 RPM	Massey Ferguson 4233/4WD/Cab	3,000 (H)	8
765-900-565		65 PTO HP @ 540 RPM	Massey Ferguson 4235/4WD/Cab	3,000 (H)	8
765-900-570		65 PTO HP @ 540 RPM	John Deere 6110	3,000 (H)	8
765-900-600	60	70/72 PTO HP @ 540 RPM	Case IH 885/C90, Deere 5510, Ford 6610, JD 2750/401, Kubota M8030F, MF 265	4,000(H)	10
765-900-602	60A	Wheel Tractor, Cab Model, 70 PTO HP @ 540 RPM	Case IH CX90, Deere 5510, MF 4245/2, New Holland TS90	4,000(H)	10
765-900-605		70 PTO HP @ RPM	John Deere 6210	4,000 (H)	10
765-900-610	61	Wheel Tractor, 85 PTO HP @ 540 RPM	Case MX100, Deere 6410, MF 4263/2, New Holland TS110	4,000(H)	10
765-900-612	61A	Wheel Tractor, Cab Model, 85 PTO HP @ 540 RPM	Case MX100, Deere 6410, MF 4263/2, New Holland TS110	4,000(H)	10
765-900-615		80 PTO HP @ RPM	John Deere 6310	4,000 (H)	10
765-900-650	60A	70 PTO HP @ 540 RPM	Massey Ferguson 4245/2WD/Cab, John Deere 5510, New Holland TS90	4,000 (H)	10
765-900-655		70 PTO HP @ 540 RPM	Massey Ferguson 4245/4WD/Cab	4,000 (H)	10
765-900-660		75 PTO HP @ 540 RPM	Massey Ferguson 4243/2WD/Cab, New Holland 6635	4,000 (H)	10
765-900-665		75 PTO HP @ 540 RPM	Massey Ferguson 4243/4WD/Cab	4,000 (H)	10
765-900-670		70 PTO HP @ 540 RPM	John Deere 6210	4,000 (H)	10
765-900-675		80 PTO HP @ 540 RPM	John Deere 6310, New Holland TS100	4,000 (H)	10
765-900-700	61	85/100 PTO HP @ 540/1000 RPM	Ford TW-5, JD 4050, Case 2096, Massey Ferguson 4263/2WD/ROPS, New Holland	5,000(H)	12
765-900-705		85 PTO HP @ RPM	Massey Ferguson 4263/4WD/ROPS	5,000 (H)	12
765-900-710		85 PTO HP @ 540 RPM	Massey Ferguson 4253/2WD/ROPS	5,000 (H)	12
765-900-715		85 PTO HP @ 540 RPM	Massey Ferguson 4253/4WD/ROPS	5,000 (H)	12
765-900-720		85 PTO HP @ 540 RPM	Massey Ferguson 4255/2WD/ROPS	5,000 (H)	12
765-900-725		85 PTO HP @ 540 RPM	Massey Ferguson 4255/4WD/ROPS	5,000 (H)	12
765-900-730		95 PTO HP @ 540 RPM	Massey Ferguson 4270/2WD/ROPS	5,000 (H)	12
765-900-735		95 PTO HP @ 540 RPM	Massey Ferguson 4270/4WD/ROPS	5,000 (H)	12
765-900-740		100 PTO HP @ 540 RPM	New Holland 8260	6,000 (H)	12
765-900-745		115 PTO HP @ 540 RPM	New Holland 8360	6,000 (H)	12
765-900-800	61 A	85/100 PTO HP @ 540 RPM	Massey Ferguson 4263/2WD/Cab, New Holland TS110	6,000(H)	12
765-900-805		85 PTO Hp @ 540 RPM	Massey Ferguson 4263/4WD/Cab	5,000 (H)	12
765-900-810		85 PTO HP @ 540 RPM	Massey Ferguson 4263/2WD/Cab	5,000 (H)	12

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

Commodity Code	Former Spec. Number	Description	Representative Models	Miles or Hours	Years
765-900-815		85 PTO HP @ 540 RPM	Massey Ferguson 4253/4WD/Cab	5,000 (H)	12
765-900-820		85 PTO HP @ 540 RPM	Massey Ferguson 4255/2WD/Cab	5,000 (H)	12
765-900-825		85 PTO HP @ 540 RPM	Massey Ferguson 4255/4WD/Cab	5,000 (H)	12
765-900-830		95 PTO HP @ 540 RPM	Massey Ferguson 4270/2WD/Cab	6,000 (H)	12
765-900-835		95 PTO HP @ 540 RPM	Massey Ferguson 4270/4WD/Cab	6,000 (H)	12
765-900-840		85 PTO HP @ 540 RPM	Massey Ferguson 6255/2WD/Cab	5,000 (H)	12
765-900-845		85 PTO HP @ 540 RPM	Massey Ferguson 6255/4WD/Cab	5,000 (H)	12
765-900-850		95 PTO HP @ 540 RPM	Massey Ferguson 6255/2WD/Cab	5,000 (H)	12
765-900-855		95 PTO HP @ 540 RPM	Massey Ferguson 6265/4WD/Cab	5,000 (H)	12
765-900-860		100 PTO HP @ 540 RPM	Massey Ferguson 6270/2WD/Cab	6,000 (H)	12
765-900-865		100 PTO HP @ 540 RPM	Massey Ferguson 6270/4WD/Cab	6,000 (H)	12
765-900-870		115 PTO HP @ 540 RPM	New Holland 8360	6,000 (H)	12
765-900-875		135 PTO HP @ 540 RPM	Massey Ferguson 8220/2WD/Cab, New Holland 8560	6,000 (H)	12
765-900-880		135 PTO HP @ 540 RPM	Massey Ferguson 8220/4WD/Cab	6,000 (H)	12
765-900-885		145 PTO HP @ 540 RPM	Massey Ferguson 8240/2WD/Cab	6,000 (H)	12
765-900-890		145 PTO HP @ 540 RPM	Massey Ferguson 8240/4WD/Cab	6,000 (H)	12
765-900-895		165 PTO HP @ 540 RPM	Massey Ferguson 8250/2WD/Cab	6,000 (H)	12
765-900-900		165 PTO HP @ 540 RPM	Massey Ferguson 8250/4WD/Cab	6,000 (H)	12
<b><u>Mowers</u></b>					
765-430-100	70	Flail, Centered, Lift Type, 72"	Cartner CR-74-F, Mott 74, Alamo SHD 74	-	5
765-430-105		Flail, Centered, Lift Type, 88"	Alamo SHD 88	-	5
765-430-110		Flail, Centered, Lift Type, 96"	Alamo SHD 96	-	5
765-430-115		Flail, Centered Lift Type, 60"	Alamo AT60	-	5
765-430-120	71	Flail, Off-set, Lift Type, 6'	Ford 917A, Mott 74	-	5
765-430-125		Flail, Centered, Lift Type, 74"	Alamo AT74	-	5
765-640-100	75	Rotary Cutter, Lift Type, 80/90"	Alamo A72HD, Bush Hog 406RW, TK-80/90, Woods MD80	-	5
765-640-105	75B	Rotary Cutter, Lift Type, 80/90"	Woods MD80	-	5
765-640-110	76	Rotary Cutter, Pull Type, 72/80/90"	Bush Hog 406RW/406-03, TK-80/90, Woods D80	-	5
765-640-115	76B	Rotary Cutter, Pull Type, 80/90"	Woods D80	-	5
765-640-130		Rotary Cutter, Lift Type, 72"	Alamo A72HD	-	5
765-640-135		Rotary Cutter, Lift Type, 60"	Alamo A60	-	5
765-640-140		Rotary Cutter, Lift Type, 72"	Alamo A72	-	5
765-640-145		Rotary Cutter, Lift Type, 60"	Alamo A60B	-	5
765-640-150		Rotary Cutter, Lift Type, 72"	Alamo A72B	-	5
765-640-155		Rotary Cutter, Lift Type, 84"	Alamo A84B	-	5
765-640-160		Rotary Cutter, Lift Type, 96"	Alamo A96B	-	5
765-640-165		Rotary Cutter, Lift Type, 60"	Alamo Hydro 60	-	5

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

Commodity Code	Former Spec. Number	Description	Representative Models	Miles or Hours	Years
765-640-170		Rotary Cutter, Lift Type, 72"	Alamo Hydro 72	-	5
765-640-330	78	Rotary Cutter, Pull Type, 10'	Alamo 10-IV, Bush Hog 2610/3610, Deere 1518-10, TK-10HD, Woods 10' Batwing	-	5
765-640-430	78H	Hydraulically Driven Rotary Cutter, Pull Type, Ten Foot	Alamo Hydro 10	-	5
765-640-440	79	Heavy-Duty Rotary Cutter, Pull Type, Fifteen Foot	Alamo 15-IV, Bush Hog 3615, Deere 1518	-	5
765-640-445		Rotary Cutter, Pull Type, 20"	Alamo A 20-IV, John Deere 2018	-	5
765-640-550	79H	Rotary Cutter, Pull Type, 15'	Bush Hog 2615, TK-15HD, Woods 15' Batwing{Alamo Hydro 15	-	5
765-650-102	BM-17	17 Foot Boom Mower and Tractor Combination	Alamo 17' A-Boom, Motrim LMT-17 A, Tiger 17' Boom Mower	-	5
765-650-105		20' Boom Mower and Tractor Combination	Alamo AB20	-	5
765-650-110		23' Boom Mower and Tractor Combination	Alamo AB23	-	5
765-650-115		17' Boom Mower and Tractor	Alamo 17 Versa Boom	-	5
765-650-120		20' Boom Mower and Tractor Combination	Alamo 20 Versa Boom	-	5
765-650-125		23' Boom Mower and Tractor Combination	Alamo 23 Versa Boom	-	5
765-650-200	A-28	28' Boom Mower and Tractor Combination	Alamo 28' A-Boom, Motrim 28-5R	-	5
765-650-210		28' Slope Mower and Tractor	Alamo Slope Mower 28	-	5
<b><u>Trailers</u></b>					
070-740-100		Mobile Homes and Offices	Fiesta, Fleetwood, Concord	-	15
N/A		Utility Trailers, 1,000 to 5,000 lbs. Capacity	Crosley, Others	-	10
070-780-010		Trailer, Tilt Bed, Pintle Hitch, 10 Ton Capacity	Crosley, Custom, Eager Beaver, Trail King	-	12
070-780-020		Trailer, Pintle Hitch, 10 Ton Capacity	Crosley, Custom, Eager Beaver, Trail King	-	12
070-780-030		Trailer, Low Bed, Level Deck, Fifth Wheel	Wallace	-	12
070-780-100		Lowboy Trailer, Fifth Wheel, 25 Ton	Wallace	-	12
070-780-105		Lowboy Trailer, Fifth Wheel, 30 Ton	Wallace	-	12
070-780-110		Lowboy Trailer, Fifth Wheel, 40 Ton	Wallace	-	12
070-780-115		Lowboy Trailer, Fifth Wheel, Triple Axle, 40 Ton	Wallace	-	12
070-780-120		Lowboy Trailer, Fifth Wheel, Triple Axle, 50 Ton	Wallace	-	12
070-780-125		Lowboy Trailer, Paver's Special, Fifth Wheel, 25 ton	Wallace	-	12
070-780-130		Lowboy Trailer, Paver's Special, Fifth Wheel, 30 Ton	Wallace	-	12
070-780-135		Lowboy Trailer, Paver's Special, Fifth Wheel, 35 Ton	Wallace	-	12
070-780-140		Lowboy Trailer, Paver's Special, Fifth Wheel, 40 Ton	Wallace	-	12
070-780-145		Lowboy Trailer, Paver's Special, Triple Axle, Fifth Wheel, 40 Ton	Wallace	-	12
070-780-150		Lowboy Trailer, Paver's Special, Fifth Wheel, 50 Ton	Wallace	-	12
070-780-155		Lowboy Trailer, Detachable, Fifth Wheel, 35 Ton	Wallace	-	12
070-780-160		Lowboy Trailer, Detachable, Fifth Wheel, 40 Ton	Wallace	-	12
070-780-165		Lowboy Trailer, Detachable, Triple Axle, Fifth Wheel, 40 Ton	Wallace	-	12

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

<b>Commodity Code</b>	<b>Former Spec. Number</b>	<b>Description</b>	<b>Representative Models</b>	<b>Miles or Hours</b>	<b>Years</b>
070-780-170		Lowboy Trailer, Detachable, Triple Axle, Fifth Wheel, 50 Ton	Wallace	-	12
070-780-175		Lowboy Trailer, Detachable, Triple Axle, Fifth Wheel, 60 Ton	Wallace	-	12
070-780-200		Equip. Trailer 8,000-24,000 lb. Cap.	Toteall, Crosley, Texas	-	12
070-780-300		Lowboy Trailers 20-50 Ton	Alabama, Chancey, Witco, Phelan	-	12
070-780-400		Van Trailers	Dorsey, Fruehauf	-	12
120-860-100		Galvanized Boat Trailers	Gator, Magic-Tilt	-	6
<b><u>Marine</u></b>					
120-280-100	-	Boats, Aluminum (Law Enforcement)	Mako, Pro-Line, Monark	-	6
120-280-200	-	Boats, Fiberglass (Law Enforcement)	Mako, Pro-Line, Monark	-	6
120-280-300	-	Boats, Aluminum (Utility-Work)	Monark, Lowe	-	8
120-280-400	-	Boats, Fiberglass (Utility-Work)	Sportcraft, Boston Whaler	-	8
120-440-100	-	Outboard Marine Engines	Mercury, Evinrude, Johnson, OMC	1,000(H)	6
<b><u>3 &amp; 4 Wheel Utility/ATC, Motorcycle</u></b>					
120-440-200	-	Inboard/Outboard Engines	Merc-Cruiser, OMC	1,500(H)	6
120-440-300	-	Inboard Engines (Diesel)	Perkins, Detroit, Cummins, Cat.	2,500(H)	8
070-560-100	-	Motorcycle FHP Police Special	Kawasaki, Harley Davidson	36,000	4
070-560-650	-	Police Motorcycle, 2-Wheel, 998CC Gasoline Engine	Kawasaki	36,000	4
070-560-660	--	Police Motorcycle, 2-Wheel, 1340CC Gasoline Engine	Harley-Davidson	36,000	4
070-840-100	-	Three/Four Wheel Utility Electric	Taylor-Dunn, Cushman, E-Z Go	1,200(H)	4
070-840-200	-	Three/Four Wheel Utility Gas (off-road)	Taylor-Dunn, Cushman, E-Z Go	1,200(H)	4
070-840-300	-	Three Wheel Utility Gas, On-Road	Cushman	1,200(H)	4
070-840-320	-	Utility Police Vehicle, On-Road, Three Wheel, Gasoline, 1200 lbs. Payload	Cushman	1,200(H)	4
070-840-322		Utility Vehicle, On-Road, Three Wheel, Electric, 700 lbs. Payload	Cushman	1,200(H)	4
070-840-370	-	Utility Vehicle, On-Road, Three Wheel, Electric, 700 lbs. Payload	Cushman	1,200(H)	4
070-840-400	-	Utility Vehicle, Off-Road, Four Wheel, Gasoline, 1200 lbs. Payload	Club Car, Cushman, E-Z-Go, Jacobsen	1,200(H)	4
070-840-402	-	Utility Vehicle, Off-Road, Four Wheel, Gasoline, 1200 lbs. Payload	Club Car, Cushman, E-Z-Go, Toro Workman	1,200(H)	4
070-840-404	-	Utility Vehicle, Off Road, Four Wheel, Gasoline, 800 lbs.	E-Z-Go, Club Car	1,200(H)	4
070-840-450	-	Utility Vehicle, Off Road, Four Wheel, Gasoline, 1,200 lbs. Payload	Club Car, E-Z-Go	1,200(H)	4
070-840-500	-	Utility Vehicle, Off-Road, Three Wheel, Gasoline, 1500 lbs. Payload	Cushman, E-Z-Go, Jacobsen	1,200(H)	4

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

<b>Commodity Code</b>	<b>Former Spec. Number</b>	<b>Description</b>	<b>Representative Models</b>	<b>Miles or Hours</b>	<b>Years</b>
070-840-550	-	Utility Vehicle, Off Road, Four Wheel, Gasoline, 2,000 lbs. Payload	Cushman, Toro workman	1,200(H)	4
070-840-600	-	Utility Vehicle, Off Road, Four Wheel, Gasoline, 2,500 lbs. Payload	Cushman, Toro Workman	1,200(H)	4
070-840-900	-	Utility Vehicle, Off-Road, Four Wheel, Electric, 800 lbs. Payload	Club Car, Cushman, E-Z-Go	1,200(H)	4
070-840-902	-	Utility Vehicle, Off Road, Four Wheel, Electric, 800 lbs. Payload	E-Z-Go, Club Car	1,200(H)	4
070-850-400	-	Personnel Vehicle, Four Wheel, Gasoline	Club Car, E-Z-Go	1,200(H)	4
070-850-402	-	Personnel Vehicle, Four Wheel, Gasoline	Club Car	1,200(H)	4
070-850-500	-	Personnel Vehicle, Six Passenger, Four Wheel, Gasoline	Club Car, E-Z-Go	1,200(H)	4
070-850-502	-	Personnel Vehicle, Four Wheel, Gasoline	Club Car	1,200(H)	4
070-850-600	-	Personnel Vehicle, Four Passenger, Four Wheel, Electric	Club Car, E-Z-Go	1,200(H)	4
070-850-602	-	Personnel Vehicle, Four Wheel, Electric	Club Car	1,200(H)	4
070-850-700	-	Personnel Vehicle, Six Passenger, Four Wheel, Electric	Club Car, E-Z-Go	1,200(H)	4
070-850-702	-	Personnel Vehicle, Four Wheel, Electric	Club Car	1,200(H)	4
070-880-100	-	Four Wheel ATC (4x2)	Honda, Yamaha, Suzuki	1,200(H)	4
070-880-200	-	Four Wheel ATC (4x4)	Honda, Yamaha, Suzuki	1,200(H)	4
070-880-400	-	All Terrain Vehicle, 4-Wheel, Gasoline (4x2)	Honda, Kawasaki, Suzuki, Yamaha, Polaris	1,200(H)	4
070-880-402	-	All Terrain Vehicle, Four Wheel, Gasoline	Honda	1,200(H)	4
070-880-420	-	All Terrain Utility Vehicle, 4-Wheel, Gasoline (4x2)	Kawasaki	1,200(H)	4
070-880-600	-	All Terrain Vehicle, 4-Wheel, Gasoline (4x4)	Honda, Yamaha, Polaris, Kawasaki	1,200(H)	4
070-880-602	-	All Terrain Vehicle, 4-Wheel, Gasoline (4x4)	Kawasaki, Suzuki	1,200(H)	4
070-880-620	-	All Terrain Utility Vehicle, 4-Wheel, Gasoline (4x4)	Kawasaki	1,200(H)	4
070-880-650	-	All Terrain, Vehicle, Four Wheel, Gasoline, 4x4	Kawasaki, Polaris	1,200(H)	4
070-880-652	-	All Terrain Vehicle, Gasoline 4x4	Polaris	1,200(H)	4
070-880-800	-	All Terrain Utility Vehicle, 6-Wheel, Gasoline, 1200 lbs. Payload	John Deere	1,200(H)	4
070-880-802	-	All Terrain Vehicle, Six Wheel, Diesel, 4,400 lbs. Payload 6x4	John Deere	1,200(H)	4
070-880-900	-	Amphibious Utility Vehicle, Six Wheel, Gasoline, 6x6	Argo Vanguard	1,200(H)	4
070-880-902	-	Amphibious Utility Vehicle, six Wheel, Gasoline, 6x6	Argo Bigfoot	1,200(H)	4
070-880-950	-	Amphibious Utility Vehicle, Eight Wheel, Gasoline, 8x8	Argo Conquest	1,200(H)	4
070-880-952	-	Amphibious Utility Vehicle, Eight Wheel, Gasoline, 8x8	Argo Centaur	1,200(H)	4
070-880-954	-	Amphibious Utility Vehicle, Eight Wheel, Diesel, 8x8	Argo Centaur	1,200(H)	4

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

Commodity Code	Former Spec. Number	Description	Representative Models	Miles or Hours	Years
070-880-975	-	All Terrain Utility, Eight Wheel, Gasoline, 8x8	Cushman	1,200(H)	4
<b><u>Construction/Industrial Equipment</u></b>					
020-230-100	-	Bulk Distributor Truck	Conibear	4,000(H)	5
020-660-100	-	Soil Mixer, Self-Propelled	Rex	5,000(H)	10
025-030-100	-	Air Compressor	Joy, Sullair, Leroi	4,000(H)	10
065-730-100	-	Waste Compactor	Wayne Pup II	4,000(H)	8
560-650-250	-	Forklift Truck, Cushion Tire, 2,500 lb. Capacity	Cat. T25D/GC15, Hyster S30XM, Komatsu FG15ST-15, Nissan C30K, TCM FCG 15T8, Yale GC25/GC 030BF,GC030AF	4,000(H)	10
560-650-255	-	Forklift Truck, Cushion Tire, 3,500 lb. Capacity	Nnissan JC35	4,000(H)	10
560-650-260	-	Forklift Truck, Cushion Tire, 4,000lb. Capacity	Yale GC 040 AF, Nissan JC40	4,000(H)	10
560-650-300	-	Forklift Truck, Pneumatic Tire, 3,000 lb. Capacity	Yale GC 030BF, Daewoo G 15S	4,000(H)	10
560-650-305	-	Forklift Truck, Pneumatic Tire, 3,500 lb. Capacity	Daewoo G 18S	4,000(H)	10
560-650-310	-	Forklift Truck Pneumatic Tire, 4,000 lb. Capacity	Yale GP 040 AF	4,000(H)	10
560-650-350	-	Forklift Truck, Cushion Tire, Electric, 3,500 lb. Capacity	Cat. F-35/EP18T, Clark TM17, Crown 35SC, Hyster J35XMT, Nissan OT35, TCM FTB18S2, Yale ERP035TF, Daewoo BC 18T	4,000(H)	10
560-650-355	-	Forklift Truck, Cushion Tire, Electric, 3,000 lb. Capacity	Daewoo BC 15T	4,000(H)	10
560-650-360	-	Forklift Truck, Cushion Tire, Electric, 4,000 lb. Capacity	Yale ERP 040TF, Daewoo BC 20T	4,000(H)	10
560-650-500	95C	Forklift Truck, Cushion Tire, 5,000 lb. Capacity	Cat. T500/GC25, Clark GCS/DCS25, Daewoo GC25S, Hyster S50XM, Nissan C50K/JC50, TCM FCG-25N6/FCG 25T7, Yale GC 050RF/GC 050RG.	4,000(H)	10
560-650-505	-	Forklift Truck, Cushion Tire, 5,500 lb. Capacity	Hyster S55XM	4,000(H)	10
560-650-510	-	Forklift Truck, Cushion Tire, 6,000 lb. Capacity	Hyster S60SM/S60XM, Daewoo BC 20T, Nissan JC60	4,000(H)	10
560-650-515	-	Forklift Truck, Cushion Tire, 6,500 lb. Capacity	GC 065TG, Hyster S65XM	4,000(H)	10
560-650-520	-	Forklift Truck, Cushion Tire, 7,000 lb. Capacity	Yale GC 070LG	4,000(H)	10
560-650-525	-	Forklift Truck, Cushion Tire, 8,000 lb. Capacity	Yale GC 080LG, Nissan JC80	4,000(H)	10
560-650-530	-	Forklift Truck, Cushion Tire, 10,000 lb. Capacity	Yale GC 100MG	4,000(H)	10
560-650-550	-	Forklift Truck, Pneumatic Tire, 5,000 lb. Capacity	Yale GP 050RG, Daewoo G 25E/ G-25S, Hyster H50XM, Nissan JP50	4,000(H)	10
560-650-555	-	Forklift Truck, Pneumatic Tire, 5,000 lb. Capacity	Nissan AP50J	4,000(H)	10
560-650-560	-	Forklift Truck, Pneumatic Tire, 5,500 lb. Capacity	Hyster H55XM	4,000(H)	10
560-650-565	-	Forklift Truck, Pneumatic Tire, 6,000 lb. Capacity	Yale GP 060TG, Daewoo G 30E, Hyster H60XM, Nissan JP60	4,000(H)	10
560-650-570	-	Forklift Truck, Pneumatic Tire, 6,500 lb. Capacity	Hyster H65XM	4,000(H)	10
560-650-575	-	Forklift Truck, Pneumatic Tire, 8,000lb. Capacity	Nissan P80Y	4,000(H)	10
560-650-580	-	Forklift Truck, Pneumatic Tire, 9,000 lb. Capacity	Nissan P90y	4,000(H)	10
560-650-600	96R	Forklift Truck, Rough Terrain, 6,000 lb. Capacity	Case 586E, Cat. RC60, Deere 486E, Dixie DMH 6 PT, JCB 930, Liftking LK6000, Lion Liftall M-60/MT-60, Master Craft MC605/RT/C 06-432, Sellick SG60, Viking VDF-6	4,000(H)	10
560-650-605	-	Forklift Truck, Rough Terrain, 5,000 lb. Capacity	Case 58E	4,000(H)	10
560-650-610	-	Forklift Truck, Rough Terrain, 5,200 lb. Capacity	JCB 926	4,000(H)	10

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

<b>Commodity Code</b>	<b>Former Spec. Number</b>	<b>Description</b>	<b>Representative Models</b>	<b>Miles or Hours</b>	<b>Years</b>
560-650-615	-	Forklift Truck, Rough Terrain, 8,000 lb. Capacity	Mastercraft RT/C 08-432, JCB 940	4,000(H)	10
560-650-620	-	Forklift Truck, Rough Terrain, 10,000 lb. Capacity	Mastercraft RT/C10-432	4,000(H)	10
755-100-100	-	Asphalt Distributor Truck	Ethyre	8,000(H)	12
755-300-100	-	Paver	Mauldin, Cedar Rapids, Rayco	4,000(H)	12
760-060-100	-	Draglines	Linkbelt LS-68/78, Little Giant, American	8,000(H)	12
760-300-100	-	Hydraulic Excavator	Badger 460/888, Gradall G3W/880	8,000(H)	12
760-300-200	-	Hydraulic Excavator, Hoe Type	Cat. E-300, JD 892, Liebherr R942	8,000(H)	12
760-360-050	67	Compact Motor Grader, Articulated, 75 HP	Champion C60A	7,000(H)	12
760-360-055		Compact Motor Grader, Articulated, 76 HP	Champion C70A	7,000(H)	12
760-360-100	68	Motor Grader, Articulated, 125/135 HP	Cat. 120G, JD 670B, Dresser A-450E, Champion 710A	7,000(H)	12
760-360-150	68	Motor Grader, Articulated, 14 Foot Blade, 140HP	Champion 720A	7,000(H)	12
760-460-100		Skid Steer Loader, Diesel, 1,700 lb.	New Holland LS170/LX665, Case 1845C	3,000(H)	8
760-460-105		Skid Steer Loader, Diesel, 1,400 lb.	Case 1840	3,000(H)	8
760-460-110		Skid Steer Loader, Diesel, 2,400 lb.	New Holland LS 180/LX865	3,000(H)	8
760-460-115		Skid Steer Loader, Diesel, 2,400 lb.	New Holland LS180/LX885	3,000(H)	8
760-480-100	69	Wheel Loader 2.0 Cu. Yd., 110 HP	Case W-20/621B, Cat. G926/928G, Daewoo Mega 200/m200-III, Deere 544H, Fiatallis FR120, JD 544, Kawasaki 65Z IV, Komatsu WA 250-1, Samsung SL120-2, Hyundai HL740-3	6,000(H)	10
760-480-102	69D	Wheel Loader, 2.5 Cu. Yd., 125 HP	Case 621C	6,000(H)	10
760-480-120	-	Wheel Loader, 3.0 Cu. Yd., 140 HP	Hyundai HL 750	6,000(H)	10
760-480-130	-	Wheel Loader, 3.0 Cu. Yd., 170 HP	Daewoo M250-III	6,000(H)	10
760-480-150	-	Wheel Loader, Tool Carrier, 2.5 Cu. Yd., 130 HP	Case 621 CXT	6,000(H)	10
760-480-155	-	Wheel Loader, Extended Reach, 2.5 Cu. Yd., HP	621 CXR	6,000(H)	10
760-480-160	-	Wheel Loader, 3.25 Cu. Yd., 152 HP	Case 721C	6,000(H)	10
760-480-165	-	Wheel Loader, Tool Carrier, 3.0 Cu. Yd., 152 HP	Case 721 CXT	6,000(H)	10
760-480-170	-	Wheel Loader, Extended Reach, 3.25 Cu. Yd., 152 HP	Case 721 CXR	6,000(H)	10
760-480-200	69A	Wheel Loader, 3.0 Cu. Yd., 170 HP	Case 821B, Cat. 950F, Daewoo Mega 300, Deere 644G, Fiatallis FR 160.2, Kawasaki 80Z IV, Samsung SL180-2, Hyundai HL 760	6,000(H)	10
760-480-202	69 A-D	Wheel Loader, 3.5 Cu. Yd., 180 HP	John Deere 644H	6,000(H)	10
760-480-210	-	Wheel Loader, 5.1 Cu. Yd., 257 HP	Daewoo M400-III	6,000(H)	10
<b><u>Construction/Industrial Equipment (continued)</u></b>					
760-480-250	-	Wheel Loader, 3.5 Cu. Yd., 187 HP	Case 821 CXR	6,000(H)	12
760-600-100	-	Rollers	Hubber, Galion, Bros, Ferguson	4,000(H)	12
760-840-400	-	Hydraulic Excavator, Hoe Type, Crawler Mounted	Case 9040B, Cat. 322L, Deere 790E-LC, Fiatallis FX250 LC, Kobelco SK220LC, Komatsu PC 220LC-6, Samsung SE240LC-3	8,000(H)	12
760-840-410	-	Hydraulic Excavator, Hoe Type, Crawler Mounted	Samsung SE210LC-3	8,000(H)	12
760-840-420	-	Hydraulic Excavator, Long Reach, Hoe Type, Crawler Mounted	Samsung SE210LC-3 Long Reach	8,000(H)	12

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

<b>Commodity Code</b>	<b>Former Spec. Number</b>	<b>Description</b>	<b>Representative Models</b>	<b>Miles or Hours</b>	<b>Years</b>
760-840-430	-	Hydraulic excavator, Long Reach, Hoe Type, Crawler Mounted	Samsung SE240LC-3 Long Reach	8,000(H)	12
760-840-440	-	Hydraulic Excavator, Hoe Type, Crawler Mounted	Samsung SE280LC-2	8,000(H)	12
760-840-450	-	Hydraulic Excavator, Hoe Type, Crawler Mounted	Samsung SE350LC-2	8,000(H)	12
760-840-460	-	Hydraulic Excavator, Hoe Type, Crawler Mounted	Samsung SE450LC-2	8,000(H)	12
760-840-590	-	Hydraulic Excavator, Truck Mounted, 6x6	Badger 460 6x6	8,000(H)	12
760-840-600	-	Hydraulic Excavator, Truck Mounted, 6x6	Badger 460 6x6/1085C Cruz Air	8,000(H)	12
760-840-605	-	Hydraulic Excavator, Truck Mounted	Badger 450 Grademaster	8,000(H)	12
760-840-610	-	Hydraulic Excavator, Truck Mounted	Bader 670	8,000(H)	12
760-840-650	-	Hydraulic Excavator, Truck Mounted, 4x4	Gradall XL 3100 4x4/G3WD 4x4	6,000(H)	10
760-840-655	-	Hydraulic Excavator, Truck Mounted, 4x4	Gradall XL 3100 4x4 Commercial	6,000(H)	10
760-840-660	-	Hydraulic Excavator, Truck Mounted, 6x6	Gradall XL 4100 6x6	6,000(H)	10
760-840-670	-	Hydraulic Excavator, Truck Mounted, 6x6	Gradall LX 5100 6x6	6,000(H)	10
760-840-680	-	Hydraulic Excavator, Truck Mounted, 4x4	Gradall XL 2300 4x4	6,000(H)	10
760-900-100	40	Crawler Tractor, Light	Cat. D-3, JD 450	5,000(H)	10
760-900-200	41	Crawler, Medium Light	JD 550, Dresser TD-9, Cat. D-4	5,000(H)	10*
760-900-300	41F	Crawler Tractor, LGP, 74 HP	Cat. D-4/D3C LGP, Deere 450G LGP, Dresser TD-9/TD-8H LGP, JD 550, Komatsu D31P-20	5,000(H)	10*
760-900-310	41F	Crawler Tractor, Forestry, Low Ground Pressure, 90 HP	John Deere 550G LGP	5,000(H)	10
760-900-330	-	Crawler Tractor, 130 HP	Cat. D6MD6M XL, Deere 750C, Komatsu D58E-1	5,000(H)	10
760-900-400	42	Crawler Tractor, Medium	Cat. D-5, JD 650	5,000(H)	10*
760-900-500	43	Crawler, Tractor, Heavy	Cat. D-6, JD 850	5,000(H)	10*
760-900-600	44F	Crawler Tractor, LGP, 140 HP	Cat. D-6, JD 850	5,000(H)	10*
760-960-100	65	Tractor Loader, Industrial, 55 HP	MF-40E, Case 580K, JD 210C/410, Ford 545A/4400/New Holland 445D	4,000(H)	10
760-960-105		Tractor Loader, Industrial, 62 HP	New Holland 545D	4,000(H)	10
760-960-110	66	Tractor Loader Backhoe, Industrial, 60/70 HP	MF-50E, JD 310C, Ford 555B, Cat. 416/416C, JCB 1400B/214 2 WD Series III, Case 580K/580M, New Holland LB75/555E	4,000(H)	10
760-960-120	-	Tractor Loader Backhoe, Industrial, 80 HP	Case 580M Turbo/580L Turbo, New Holland 575E	4,000(H)	10
760-960-130	-	Tractor Loader Backhoe, Industrial, 86 HP	JCB 215E	4,000(H)	10
760-960-140	-	Tractor Loader Backhoe, Industrial, 89 HP	New Holland 655E	4,000(H)	10
760-960-150	-	Tractor Loader Backhoe, Industrial, 92 HP	JCB 215, New Holland, LB90	4,000(H)	10
760-960-160	-	Tractor Loader Backhoe, Industrial, 90 HP	Case 580 Super M/580 Super L	4,000(H)	10
760-960-170	-	Tractor Loader Backhoe, Industrial, 98 HP	New Holland 675E	4,000(H)	10
760-960-180	-	Tractor Loader Backhoe, Industrial 99 HP	Case 590 Super m/590 Super L	4,000(H)	10
760-960-182	-	Tractor Loader Backhoe, Industrial, 106 HP	New Holland LB 110	4,000(H)	10
765-180-100	-	Drill Rig Truck Mounted	Failing, CME	5,000(H)	12
765-180-200	-	Drill Rig ATV Mounted	Failing, CME	5,000(H)	12
765-180-300	-	Drill Rig Skid	Failing, CME	5,000(H)	12

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

<b>Commodity Code</b>	<b>Former Spec. Number</b>	<b>Description</b>	<b>Representative Models</b>	<b>Miles or Hours</b>	<b>Years</b>
765-840-100	-	Sweeper, Large	Mobil, Elgin, Tymco	5,000(H)	10
765-840-200	-	Sweeper, Parking Lot	Tennant	2,000(H)	5
<b><u>Alternative Fuel Vehicles</u></b>					
070-100-402	2A-CNG	Pursuit Vehicle, Large, 4-Dr Sdn (RWD)	Ford Crown Victoria	65,000	5
070-200-160	25-Sedan-BF	Bi-Fuel Compact, 4-DR SDN	Chev. Cavalier/Corsica, Dodge Stratus, Ford Contour	70,000	7
070-200-320	27-A-Sedan-FF	Flex Fuel Large Mid-size Vehicle, 4-Dr Sdn	Ford Taurus	80,000	8
070-200-325	27A-Sedan-BF	Bi-Fuel Large Mid-Size, 4 Dr SDN	Chev. Lumina, Ford Taurus	80,000	8
070-200-410	3D-Sedan-BF	Bi-Fuel Large Size Vehicle, 4-Dr Sen, RWD	Chev. Caprice	80,000	8
070-200-550	Sedan –BF 23-CNG	CNG Sub-Compact Vehicle, 4Dr. Sdn.	Honda Civic	70,000	7
070-200-810	27A-FFV	Flex Fuel, Large, Mid Size Vehicle, 4 Dr. Sdn.	Ford Taurus	80,000	8
070-250-810	27A-S/W FFV	Large, Mid-Size Vehicle, 4 Dr. S/W	Ford Taurus	80,000	8
070-300-300	14-BF	Bi-Fuel Cargo Van - Economy	Chev. Astro, Ford Windstar	70,000	7
070-300-305	14-CNG	CNG Cargo Van, Economy FWD	Dodge Caravan	70,000	7
070-300-320	15-CNG	CNG Passenger Van - Economy FWD	Dodge Caravan	70,000	7
070-300-322	15-BF	Bi-Fuel Passenger Van-Economy	Chev. Astro, Dodge Grand Caravan, Ford Windstar Wagon/Aerostar Ext. Wagon	80,000	8
070-300-501	10B-CNG	CNG Cargo Van, Type B	Ford Econoline	80,000	8
070-300-503	10B-CNG	CNG Cargo Van, Type B, 4x2	Dodge Ram	80,000	8
070-300-505	10C-CNG	CNG Cargo Van, Type C,	Dodge Ram, Ford Econoline	80,000	8
070-300-512	11B-CNG	CNG Eight Passenger Van,	Dodge Ram Wagon	80,000	8
070-300-514	11C-CNG	CNG Twelve Passenger Van,	Dodge Ram Wagon	80,000	8
070-300-516	12-CNG	Twelve Passenger Van	Ford Club Wagon	80,000	8
070-300-525	12-CNG	CNG Fifteen Passenger Van,	Dodge Ram Maxiwagon, Ford Super Club Wagon	80,000	8
070-300-601	10A-BF	Bi-Fuel Cargo Van, Type A,	Chev. Chevy, Dodge Ram, Ford Econoline	80,000	8
070-300-603	10B-BF	Bi-Fuel Cargo Van, Type B	Chev. Chevy, Dodge Ram, Ford Econoline	80,000	8
070-300-605	10C-BFNG	B-Fuel Cargo Van, Type C	Chev. Chevy, GMC Vandura	80,000	8
070-300-612	11B-BF	Bi-Fuel Eight Passenger Van,	Chev Express/Sportvan, Dodge Ram Wagon, Ford Club Wagon	80,000	8
070-300-614	11C-BF	Bi-Fuel Twelve Passenger Van	Chev Express/Sportvan, Dodge Ram Wagon, Ford Club Wagon, GMC Rally	80,000	8
070-300-616	11 C-BFNG	Twelve Passenger Van	Chev. Express, GMC Savana	80,000	8
070-300-625	12-BFNG	Bi-Fuel Fifteen Passenger Van, 4x2	Chev Express/Sportvan, Dodge Maxi Wagon, Ford Super Club Wagon, GMC Savana	80,000	8

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

<b>Commodity Code</b>	<b>Former Spec. Number</b>	<b>Description</b>	<b>Representative Models</b>	<b>Miles or Hours</b>	<b>Years</b>
070-300-820	15-FFV	Flex Fuel, Passenger Van	Dodge Caravan	70,000	7
070-300-822	15A-FFV	Flex Fuel, Passenger Van	Dodge Grand Caravan	70,000	7
070-500-522	4-CNG	CNG ½ Ton Pickup Truck	Ford F150	80,000	8
070-500-605	38-CNG	CNG Economy Pickup Truck,	Dodge Dakota	70,000	7
070-500-608	38-BF	Bi-Fuel Economy Pickup Truck	Chevy S-10, Dodge Dakota, Ford Ranger	70,000	7
070-500-610	4-BF	1/2 Ton Pickup	Chevy/GMC, Dodge C1500, Ford F150	80,000	8
070-500-612	4-CNG	CNG 1/2 Ton Pickup Truck	Dodge 1500	80,000	8
070-500-614	4-BF	Bi-Fuel 1/2 Ton Pickup Truck	Ford F150	80,000	8
070-500-620	5-BF	Bi-Fuel 3/4 T. Pickup	Chevy/GMC C2500, Dodge 2500, Ford F250	80,000	8
070-500-622	5-CNG	CNG 3/4 T. Pickup	Dodge 2500, Ford F250	80,000	8
070-500-624	5-BF	Bi-Fuel 3/4 T. Pickup	Chevy/GMC C2500	80,000	8
070-100-700	2A-BFLP	Pursuit Vehicle, Large Sedan	Ford Crown Victoria	65,000	5
070-200-700	25-Sedan-BFLP	Bi-Fuel Compact Vehicle	Chevy Cavalier, Dodge Stratus, Ford Contour	70,000	7
070-200-710	27A-Sedan-BFLP	Bi-Fuel Large Mid-Size Vehicle	Chevy Lumina, Ford Taurus	80,000	8
070-300-700	14-BFLP	Bi-Fuel Cargo Van-Economy	Chevy Astro Van, Ford Windstar Van	70,000	7
070-300-710	10B-BFLP	Bi-Fuel Cargo Van, type B	Chevy Van, Dodge Ram Van, Ford Econo. Van	80,000	8
070-300-720	15-BFLP	Bi-Fuel Passenger Van	Chevy Astro Van, Dodge Grand Caravan, Ford Windstar Wag./Aerostar Ext. Wag.	70,000	7
070-300-730	11B-BFLP	Bi-Fuel Eight Passenger Van	Chevy Express/Sportvan, Dodge Ram Wagon, Ford Club Wagon	80,000	8
070-300-740	11C-BFLP	Bi-Fuel Twelve Passenger Van	Chevy Express/Sportvan, Dodge Ram Wagon, Ford Club Wagon	80,000	8
070-300-750	12-BFLP	Bi-Fuel Fifteen Passenger Van	Chevy Express Extended/Sportvan, Dodge Maxi Wagon, Ford Super Club Wagon	80,000	8
070-500-700	38-BFLP	Bi-Fuel Economy Pickup Truck	Chevy S-10, Dodge Dakota, Ford Ranger	70,000	7
070-500-710	4-BFLP	1/2 Ton Pickup Truck	Chevy/GMC C1500, Ford F150	80,000	8
070-500-712	4-BFLP	Bi-Fuel LPG 1/2 Ton Pickup Truck,	Ford F150	80,000	8
070-500-714	4-EC-BFLP	Bi-Fuel LPG 1/2 Ton Pickup Truck, Extended Cab	Ford F150	80,000	8
070-500-718	5-EC-BFLP	Bi-Fuel LPG 3/4 Ton Pickup Truck, Extended Cab	Ford F250	80,000	8
070-500-720	5-BFLP	3/4 Ton Pickup Truck	Chevy/GMC C2500, Dodge 2500	80,000	8
070-500-722	5-BFLP	Bi-Fuel LPG 3/4 Ton Pickup Truck	Ford F250	80,000	8
070-500-800	38-BP	Battery Powered Economy P/U	Chevy S-10, Ford Ranger	70,000	7
070-544-622	4A-BFNG	Bi-Fuel CNG, ½ Ton Pickup Truck	Ford F150	80,000	8
070-544-722-	4A-BFLP	Bi-Fuel LPG, ½ Ton Pickup Truck	Ford F150	80,000	8

**Florida Department of Management Services  
Division of Specialized Services**

**Minimum Equipment Replacement Criteria**

Commodity Code	Former Spec. Number	Description	Representative Models	Miles or Hours	Years
<p>* For Forestry Fire Fighting applications contact the Division of Specialized Services.</p> <p><b>EXCEPTION TO REPLACEMENT CRITERIA</b> Equipment not meeting the mileage or age criteria may be replaced if the equipment is experiencing abnormal maintenance or operational characteristics, wrecked, burned or in poor condition. A fully explanation of exceptions must be included on Form MP 6301, Request for Purchase of Mobile Equipment.</p> <p><b>REPLACEMENT CRITERIA FOR EQUIPMENT WITH EXTENDED WARRANTY</b> The minimum mileage or hour replacement criteria for equipment covered by an extended manufacturer's warranty shall be the miles or hours specified in the replacement criteria, or 90% of the miles or hours covered by the manufacturer's extended warranty, whichever is greater.</p>					